



Designed In USA.

HEAVY DUTY SYSTEMS SHELVING EQUIPMENT



PERFORMANCE.
DURABILITY.
VALUE.



**Stainless Steel 304****Epoxy Coating (Green)****Stainless Steel 304**

- Containing 8% Nickel, which is the highest grade in Stainless Steel 304, with electropolishing.
- Addresses the most aggressive applications and environments. Exists for high temperature automated cart wash and autoclave applications.
- 15-year Warranty for All Environments.

Epoxy Coating (Green)

- Epoxy finish is phosphatized before epoxy coating for dry, low humidity environments, with a variety of colors, such as green, silver and black etc.
- Epoxy Coating also available in Dark Green, Platinum Silver or Grey.
- 7-year Warranty for Dry Environment.

Zinc Undercoated with Antimicrobial Epoxy Coating (Green)

- Economical, Zinc plating finish, with a protective antimicrobial epoxy coating, for high humidity or low temperature environments with a 10-year warranty against rust and corrosion.
- Epoxy Coating also available in Dark Green, Platinum Silver or Grey.
- 10-year Warranty for All Environments.

Chrome Plating

- The Copper-Nickel-Chrome finishes for dry, low humidity environments.
- 3-year Warranty for Dry Environment.

**Zinc Undercoated with Antimicrobial Epoxy Coating (Green)****Chrome Plating**

SHELVING Heavy Duty Wire Shelving



STANDARD FEATURES

- More Economical Storage and Display Solution
- DIY Style
- Ideal Load Capacity
- High Rust-proof Performance
- NSF Certified
- Avoid Accumulating Dust
- Avoid Blocking Out Light

* The load capacity of a shelf is 1,200 lbs per shelf (24" - 54" long) or 800 lbs. per shelf (60" - 72" long) (Evenly distributed).

SHELF (W" x L")	SHELF (W x L cm)	CHROME Model No.	EPOXY Model No.	ZINC W/ ANTI- BACTERIAL EPOXY Model No.	S/S 304 (8% Nickel) Model No.
14" x 24"	36 x 61 cm	WSC-1424	WSE-1424	WSZAE-1424	WSSS-1424
14" x 32"	36 x 76 cm	WSC-1430	WSE-1430	WSZAE-1430	WSSS-1430
14" x 36"	36 x 91 cm	WSC-1436	WSE-1436	WSZAE-1436	WSSS-1436
14" x 42"	36 x 107 cm	WSC-1442	WSE-1442	WSZAE-1442	WSSS-1442
14" x 48"	36 x 122 cm	WSC-1448	WSE-1448	WSZAE-1448	WSSS-1448
14" x 54"	36 x 137 cm	WSC-1454	WSE-1454	WSZAE-1454	WSSS-1454
14" x 60"	36 x 152 cm	WSC-1460	WSE-1460	WSZAE-1460	WSSS-1460
14" x 74"	36 x 183 cm	WSC-1472	WSE-1472	WSZAE-1472	WSSS-1472
18" x 24"	46 x 61 cm	WSC-1824	WSE-1824	WSZAE-1824	WSSS-1824
18" x 30"	46 x 76 cm	WSC-1830	WSE-1830	WSZAE-1830	WSSS-1830
18" x 36"	46 x 91 cm	WSC-1836	WSE-1836	WSZAE-1836	WSSS-1836
18" x 42"	46 x 107 cm	WSC-1842	WSE-1842	WSZAE-1842	WSSS-1842
18" x 48"	46 x 122 cm	WSC-1848	WSE-1848	WSZAE-1848	WSSS-1848
18" x 54"	46 x 137 cm	WSC-1854	WSE-1854	WSZAE-1854	WSSS-1854
18" x 60"	46 x 152 cm	WSC-1860	WSE-1860	WSZAE-1860	WSSS-1860
18" x 74"	46 x 183 cm	WSC-1872	WSE-1872	WSZAE-1872	WSSS-1872
21" x 24"	53 x 61 cm	WSC-2124	WSE-2124	WSZAE-2124	WSSS-2124
21" x 30"	53 x 76 cm	WSC-2130	WSE-2130	WSZAE-2130	WSSS-2130
21" x 36"	53 x 91 cm	WSC-2136	WSE-2136	WSZAE-2136	WSSS-2136
21" x 42"	53 x 107 cm	WSC-2142	WSE-2142	WSZAE-2142	WSSS-2142
21" x 48"	53 x 122 cm	WSC-2148	WSE-2148	WSZAE-2148	WSSS-2148
21" x 54"	53 x 137 cm	WSC-2154	WSE-2154	WSZAE-2154	WSSS-2154
21" x 60"	53 x 152 cm	WSC-2160	WSE-2160	WSZAE-2160	WSSS-2160
21" x 74"	53 x 183 cm	WSC-2172	WSE-2172	WSZAE-2172	WSSS-2172
24" x 24"	61 x 61 cm	WSC-2424	WSE-2424	WSZAE-2424	WSSS-2424
24" x 30"	61 x 76 cm	WSC-2430	WSE-2430	WSZAE-2430	WSSS-2430
24" x 36"	61 x 91 cm	WSC-2436	WSE-2436	WSZAE-2436	WSSS-2436
24" x 42"	61 x 107 cm	WSC-2442	WSE-2442	WSZAE-2442	WSSS-2442
24" x 48"	61 x 122 cm	WSC-2448	WSE-2448	WSZAE-2448	WSSS-2448
24" x 54"	61 x 137 cm	WSC-2454	WSE-2454	WSZAE-2454	WSSS-2454
24" x 60"	61 x 152 cm	WSC-2460	WSE-2460	WSZAE-2460	WSSS-2460
24" x 74"	61 x 183 cm	WSC-2472	WSE-2472	WSZAE-2472	WSSS-2472

* The above are the sizes and surface treatments of **SHELVES**.

Post (H")	POST (H cm)	CHROME Model No.	EPOXY Model No.	ZINC W/ ANTI- BACTERIAL EPOXY Model No.	S/S 304 (8% Nickel) Model No.
14"	36 cm	PC-14	PE-14	PZAE-14	PSS-14
34"	86 cm	PC-34	PE-34	PZAE-34	PSS-34
54"	137 cm	PC-54	PE-54	PZAE-54	PSS-54
64"	163 cm	PC-64	PE-64	PZAE-64	PSS-64
74"	188 cm	PC-74	PE-74	PZAE-74	PSS-74
86"	218 cm	PC-86	PE-86	PZAE-86	PSS-86

* The above are the sizes and surface treatments of **POSTS**.



Designed In USA.

PERFORMANCE. DURABILITY. VALUE.



Each security unit contains (4) Shelves, (4) Posts, (2) Front Doors, (2) Side Panels, (2) Back Panels, (4) 5" Stem Rubber Casters, 2 with brake, 2 without brake (each with Donut Bumper).

FEATURES

- **Security:** Provides protection for valuable products from loss to minimize shrinkage.
- **Full View of Products:** Heavy-duty panels have open construction permitting visibility of entire contents at all times.
- **Finishes:** Available in Chrome, Zinc Undercoated with Antimicrobial Epoxy Coating, and Stainless Steel Finishes
- **Flexibility and Selection:** Available in 18" and 24" widths and 36", 48", and 60" lengths to accommodate a wide range of size options.
- **Ease of Assembly:** Minimal parts for fast and easy assembly.
- **Knocked Down Shipping:** Saves freight costs because each unit is shipped knocked down.

SHELF (W" X L")	SHELF (W x L cm)	CHROME Model No.	ZINC W/ ANTI-BACTERIAL EPOXY Model No.
18" x 36"	46 x 91 cm	SUC-1836	SUZAE-1836
18" x 48"	46 x 122 cm	SUC-1848	SUZAE-1848
18" x 60"	46 x 152 cm	SUC-1860	SUZAE-1860
24" x 36"	61 x 91 cm	SUC-2436	SUZAE-2436
24" x 48"	61 x 122 cm	SUC-2448	SUZAE-2448
24" x 60"	61 x 152 cm	SUC-2460	SUZAE-2460




FEATURES

- 3 pcs of Heavy Duty Wire Shelves
- 2 pcs of U Handles
- 1 set of 5” Rubber Casters (2 with brake, 2 without brake)
- 4 pcs of Rubber Donut Bumpers
- To transport goods in short distance within a facility
- The weight capacity of the trolley is determined by the casters. Total unit capacity ranges from 600-800 lbs. (272-363 kg).

W” x L” x H”	(W x L x H cm)	CHROME Model No.	EPOXY Model No.	S/S 304 (8% Nickel) Model No.
18” x 30” x 33”(H)	46 x 76 x 84(H) cm	UTC-1830	UTE-1830	UTSS-1830
18” x 36” x 33”(H)	46 x 91 x 84(H) cm	UTC-1836	UTE-1836	UTSS-1836
18” x 48” x 33”(H)	46 x 122 x 84(H) cm	UTC-1848	UTE-1848	UTSS-1848





1" diameter steel post is grooved and numbered at 1" increments for easy adjustability, including foot leveler / caster and plastic cap.

Size	14"	34"	54"	64"	71"	74"	86"
	36 cm	86 cm	137 cm	163 cm	180 cm	188 cm	218 cm



**Zinc Alloy Insert
& Steel Bolt**



Collar Caster



Post Cap








Shelf Dividers

- Installseasily without the use of bolts, nuts or clips.
- Attaches at any point along shelf.
- 8" high. Chrome or Epoxy finish.

Ledges

Snap onto perimeter of shelf providing 4" high retaining ledge.



Shelf Dividers

(W" x H")	(W x H cm)	CHROME Model No.	EPOXY Model No.
14" x 8"(H)	36 x 20(H) cm	SDC-14	SDE-14
18" x 8"(H)	46 x 20(H) cm	SDC-18	SDE-18
21" x 8"(H)	53 x 20(H) cm	SDC-21	SDE-21
24" x 8"(H)	61 x 20(H) cm	SDC-24	SDE-24

Ledges

(W" x H")	(W x H cm)	CHROME Model No.	EPOXY Model No.
14" x 4"(H)	36 x 10(H) cm	SLC-414	SLE-414
18" x 4"(H)	46 x 10(H) cm	SLC-418	SLE-418
21" x 4"(H)	53 x 10(H) cm	SLC-421	SLE-421
24" x 4"(H)	61 x 10(H) cm	SLC-424	SLE-424
30" x 4"(H)	76 x 10(H) cm	SLC-430	SLE-430
36" x 4"(H)	91 x 10(H) cm	SLC-436	SLE-436
42" x 4"(H)	107 x 10(H) cm	SLC-442	SLE-442
48" x 4"(H)	122 x 10(H) cm	SLC-448	SLE-448
54" x 4"(H)	137 x 10(H) cm	SLC-454	SLE-454
60" x 4"(H)	152 x 10(H) cm	SLC-460	SLE-460
72" x 4"(H)	183 x 10(H) cm	SLC-472	SLE-472



SHELF CLIP (4 PAIR)
Model AM



WALL MOUNTING BRACKET
Model AW2C



SHELF COLLAR PLUG
Model AL




FOOT PLATE
Model AF



PUSH HANDLE



FLOOR GLIDE
Model AG (Set of 4)



LABEL HOLDER
Model ABM3



DONUT BUMPER
Model AB3



S HOOK
Model AS



POST CLAMP
Model AC




TRIANGULAR BRACKET FOR WALL POST KIT
Model TPW



L TYPE BRACKET FOR WALL POST KIT
Model LPW




Non-adjustable Wall Brackets



Single

- Components [qty]
[2] Single Non-adjustable Wall Brackets, separately packed in 2 poly bags
[4] Chrome Collar Plugs



Single Non-adjustable Bracket

Double


- Components [qty]
[1] Double Non-adjustable Wall Bracket, packed in 1 poly bag
[4] Chrome Collar Plugs



Double Non-adjustable Bracket


	Size	CHROME Model No.	EPOXY Model No.	ZINC W/ ANTI- BACTERIAL EPOXY Model No.
Single	14"	WBC-14	WBE-14	WBZAE-14
	18"	WBC-18	WBE-18	WBZAE-18
	21"	WBC-21	WBE-21	WBZAE-21
	24"	WBC-24	WBE-24	WBZAE-24
Double	14"	DWBC-14	DWBE-14	DWBZAE-14
	18"	DWBC-18	DWBE-18	DWBZAE-18
	21"	DWBC-21	DWBE-21	DWBZAE-21
	24"	DWBC-24	DWBE-24	DWBZAE-24

Adjustable Wall Brackets



Single


Components [qty]
 [2] Single Adjustable Wall
 Brackets, separately packed
 in 2 poly bags
 [4] Chrome Collar Plugs



Single Adjustable Bracket

Double

Components [qty]
 [1] Double Adjustable Wall Bracket,
 packed in 1 poly bag
 [4] Chrome Collar Plugs



Double Adjustable Bracket

	Size	CHROME Model No.	EPOXY Model No.	ZINC W/ ANTI- BACTERIAL EPOXY Model No.
Single	14"	AWBC-14	AWBE-14	AWBZAE-14
	18"	AWBC-18	AWBE-18	AWBZAE-18
	21"	AWBC-21	AWBE-21	AWBZAE-21
	24"	AWBC-24	AWBE-24	AWBZAE-24
Double	14"	ADWBC-14	ADWBE-14	ADWBZAE-14
	18"	ADWBC-18	ADWBE-18	ADWBZAE-18
	21"	ADWBC-21	ADWBE-21	ADWBZAE-21
	24"	ADWBC-24	ADWBE-24	ADWBZAE-24





Wall Mount Food Prep and Drying Station

Model No. WMTGRID

- Organized, convenient, sanitary
- Grid system maximizes workstation by using vertical wall space
- Increase efficiency and storage by keeping everything close at hand
- Heavy duty commercial grade zinc undercoated with epoxy coating grids and components, besides some stainless steel 304 components.
- Versatile – all components fit on one grid or both
- Mount grids horizontally or vertically to maximize wall space




[8] Stainless Steel 304 Wall Mounting Brackets



[6] Stainless Steel 304 "J" Hooks




[6] Zinc w/ Epoxy Coated Peg Hooks



[2] Zinc w/ Epoxy Coated 24" x 24" Grids



[1] Zinc w/ Epoxy Coated 13.5" x 5" x 7" Basket




[1] Zinc w/ Epoxy Coated 17.5" x 5" x 7" Basket



Stainless Steel 304 Wall Mounted Utensil Rack

Model No. WMUTRK1824

- Organized, convenient, sanitary
- Wall rack maximizes workstation by using vertical wall space
- Heavy duty commercial grade stainless steel 304



[1] Stainless Steel 304,
18" x 24" x 3" Rack



[4] Zinc Plated Wall Mounting
Brackets with Screws



[20] Stainless Steel 304 "S" Hooks





PERFORMANCE. DURABILITY. VALUE.

sales@heavydutysystems.com

www.heavydutysystems.com