



Designed In USA.

HEAVY DUTY SYSTEMS ICE EQUIPMENT



PERFORMANCE.
DURABILITY.
VALUE.





HDSICV-80 / HDSICV-120

**AVAILABLE ICE SIZE:**

13mm x 22mm x 22mm / 0.5in x 0.9in x 0.9in
 22mm x 22mm x 22mm / 0.9in x 0.9in x 0.9in
 28mm x 28mm x 22mm / 1.1in x 1.1in x 0.9in
 32mm x 32mm x 22mm / 1.3in x 1.3in x 0.9in
 38mm x 38mm x 22mm / 1.5in x 1.5in x 0.9in


**STANDARD FEATURES**

- **Intuitive Diagnostics and Controls** - For ease of maintenance, a built-in diagnostic system will identify problems that your ice machine may be having and will display the issue on the digital controller so it can be repaired accordingly.
 - This easy-to-use controller can also be used to monitor the current stage of ice production that your machine is in. It also allows you to adjust the thickness of the ice, so that you can produce ice to your exact requirements, and initiate the cleaning cycle (and displays what stage of the cycle you're in).
- **Stainless Steel Construction** - Constructed of durable type 304 stainless steel with a polyethylene interior, HDS ice machines are built to last in the busiest commercial environments. They are also non-corrosive, making them ideal for settings that are high in moisture and humidity.
- **Included Ice Scoop & Blue LED Lights** - Included with each unit is an ice scoop and a hook to hang it on, so it is always within convenient reach when you need it. Blue LED Lights illuminate the interior of the ice bin, providing a clear view of the ice. This makes it easier to monitor ice levels and scoop out the ice.
- **Adjustable Legs** - With (4) 6" adjustable legs, you can level your machine on uneven surfaces and have plenty of room to clean under it.
- **Side-Breathing with Rear Exhaust** - The HDS ice machines are designed for side-breathing and rear exhaust, so you can avoid hot air being blown outward into your kitchen or service area.
- **Included Single-Stage Water Filter** - Included with each HDS ice machine is a single-stage water filter that will filter contaminants, and ensure your unit produces high quality ice.
- **Air Cooled, Self-Contained Condensor**
- **Refrigerant Options** - All models available in R404A refrigerant setup. Select models available in R290 refrigerant setup.
- **Electrical Setup Options** - All models with ice production capacity equal to or below 500 lbs/24 hrs are available in 110-120/60/1 or 208-240/50 or 60/1.




HDSICV-80WB / HDSICV-120WB

Notice: No more than 7.87inch for the drain



HDSICV-80 / HDSICV-80WB



HDSICV-120 / HDSICV-120WB

MODEL	ICE PRODUCTION	ICE STORAGE	GROSS WEIGHT	POWER	DIMENSION
HDSICV-80	36kg/80lbs/24h	15kg/33lbs	40kg/88lbs	300W	502 x 450 x 800mm / 19.8 x 17.7 x 31.5in
HDSICV-120	55kg/120lbs/24h	18kg/40lbs	50kg/120lbs	446W	502 x 591 x 913mm / 19.8 x 23.3 x 35.9in
HDSICV-80WB	36kg/80lbs/24h	15kg/33lbs	40kg/88lbs	300W	502 x 450 x 800mm / 19.8 x 17.7 x 31.5in
HDSICV-120WB	55kg/120lbs/24h	18kg/40lbs	50kg/120lbs	446W	502 x 591 x 913mm / 19.8 x 23.3 x 35.9in



AVAILABLE ICE SIZE:

13mm x 22mm x 22mm / 0.5in x 0.9in x 0.9in
 22mm x 22mm x 22mm / 0.9in x 0.9in x 0.9in
 28mm x 28mm x 22mm / 1.1in x 1.1in x 0.9in
 32mm x 32mm x 22mm / 1.3in x 1.3in x 0.9in
 38mm x 38mm x 22mm / 1.5in x 1.5in x 0.9in


STANDARD FEATURES

- **Intuitive Diagnostics and Controls** - For ease of maintenance, a built-in diagnostic system will identify problems that your ice machine may be having and will display the issue on the digital controller so it can be repaired accordingly.
- This easy-to-use controller can also be used to monitor the current stage of ice production that your machine is in. It also allows you to adjust the thickness of the ice, so that you can produce ice to your exact requirements, and initiate the cleaning cycle (and displays what stage of the cycle you're in).
- **Stainless Steel Construction** - Constructed of durable type 304 stainless steel with a polyethylene interior, HDS ice machines are built to last in the busiest commercial environments. They are also non-corrosive, making them ideal for settings that are high in moisture and humidity.
- **Included Ice Scoop & Blue LED Lights** - Included with each unit is an ice scoop and a hook to hang it on, so it is always within convenient reach when you need it. Blue LED Lights illuminate the interior of the ice bin, providing a clear view of the ice. This makes it easier to monitor ice levels and scoop out the ice.
- **Adjustable Legs** - With (4) 6" adjustable legs, you can level your machine on uneven surfaces and have plenty of room to clean under it.
- **Side-Breathing with Rear Exhaust** - The HDS ice machines are designed for side-breathing and rear exhaust, so you can avoid hot air being blown outward into your kitchen or service area.
- **Included Single-Stage Water Filter** - Included with each HDS ice machine is a single-stage water filter that will filter contaminants, and ensure your unit produces high quality ice.
- **Air Cooled, Self-Contained Condensor**
- **Refrigerant Options** - All models available in R404A refrigerant setup. Select models available in R290 refrigerant setup.
- **Electrical Setup Options** - All models with ice production capacity equal to or below 500 lbs/24 hrs are available in 110-120/60/1 or 208-240/50 or 60/1.



HDSICV-160 / HDSICV-210 / HDSICV-280

Notice: No more than 7.87inch for the drain



HDSICV-160 / HDSICV-210 / HDSICV-280

MODEL	ICE PRODUCTION	ICE STORAGE	GROSS WEIGHT	POWER	DIMENSION
HDSICV-160	73kg/160lbs/24h	36kg/80lbs	65kg/143lbs	451W	660 x 704 x 978mm / 26 x 27.7 x 38.5in
HDSICV-210	95kg/210lbs/24h	36kg/80lbs	66kg/145lbs	526W	660 x 704 x 978mm / 26 x 27.7 x 38.5in
HDSICV-280	127kg/280lbs/24h	36kg/80lbs	67kg/147lbs	726W	660 x 704 x 978mm / 26 x 27.7 x 38.5in

sales@heavydutysystems.com

Ice Production Data at 70°F (21°C) ambient temp. and 50°F (10°C) water temp.



Designed In USA.

PERFORMANCE. DURABILITY. VALUE.

HDSICM-350
HDSICM-420
HDSICM-500
HDSICM-700
HDSICM-1000



AVAILABLE ICE SIZE:

13mm x 22mm x 22mm / 0.5in x 0.9in x 0.9in
 22mm x 22mm x 22mm / 0.9in x 0.9in x 0.9in
 28mm x 28mm x 22mm / 1.1in x 1.1in x 0.9in
 32mm x 32mm x 22mm / 1.3in x 1.3in x 0.9in
 38mm x 38mm x 22mm / 1.5in x 1.5in x 0.9in

STANDARD FEATURES



- Intuitive Diagnostics and Controls - For ease of maintenance, a built-in diagnostic system will identify problems that your ice machine may be having and will display the issue on the digital controller so it can be repaired accordingly.
 - This easy-to-use controller can also be used to monitor the current stage of ice production that your machine is in. It also allows you to adjust the thickness of the ice, so that you can produce ice to your exact requirements, and initiate the cleaning cycle (and displays what stage of the cycle you're in).
- Stainless Steel Construction - Constructed of durable type 304 stainless steel with a polyethylene interior, HDS ice machines are built to last in the busiest commercial environments. They are also non-corrosive, making them ideal for settings that are high in moisture and humidity.
- Included Ice Scoop & Blue LED Lights - Included with each unit is an ice scoop and a hook to hang it on, so it is always within convenient reach when you need it. Blue LED Lights illuminate the interior of the ice bin, providing a clear view of the ice. This makes it easier to monitor ice levels and scoop out the ice.
- Adjustable Legs - With (4) 6" adjustable legs, you can level your machine on uneven surfaces and have plenty of room to clean under it.
- Side-Breathing with Rear Exhaust - The HDS ice machines are designed for side-breathing and rear exhaust, so you can avoid hot air being blown outward into your kitchen or service area.
- Included Single-Stage Water Filter - Included with each HDS ice machine is a single-stage water filter that will filter contaminants, and ensure your unit produces high quality ice.
- Air Cooled, Self-Contained Condensor
- Refrigerant Options - All models available in R404A refrigerant setup. Select models available in R290 refrigerant setup.
- Electrical Setup Options - All models with ice production capacity equal to or below 500 lbs/24 hrs are available in 110-120/60/1 or 208-240/50 or 60/1. All models above with ice production capacity above 500 lbs/24 hrs are available only in 208-240/50 or 60/1. Three-phase electrical setup may be available upon request.





HDSICM-1000-775

HDSICM-1500
HDSICM-2000



**HDSICM-350 / HDSICM-420****HDSICM-500 / HDSICM-700**

Notice: No more than 7.87inch for the drain

**HDSICM-1000****HDSICM-2000**

MODEL	ICE PRODUCTION	ICE STORAGE	GROSS WEIGHT	POWER	DIMENSION
HDSICM-350	160kg/352lbs/24h	125kg/275lbs	94kg/207lbs	790W	605 x 855 x 1710mm / 23.8 x 33.7 x 67.3in
HDSICM-420	190kg/418lbs/24h	125kg/275lbs	96kg/211lbs	919W	605 x 855 x 1710mm / 23.8 x 33.7 x 67.3in
HDSICM-500	225kg/500lbs/24h	170kg/375lbs	120kg/264lbs	1113W	803 x 855 x 1710mm / 31.6 x 33.7 x 67.3in
HDSICM-700	315kg/700lbs/24h	170kg/375lbs	122kg/269lbs	1314W	803 x 855 x 1710mm / 31.6 x 33.7 x 67.3in
HDSICM-1000	455kg/1000lbs/24h	170kg/375lbs	140kg/309lbs	1835W	803 x 855 x 1885mm / 31.6 x 33.7 x 74.2in
HDSICM-1000-775	455kg/1000lbs/24h	350kg/775lbs	200kg/440lbs	1835W	1264 x 980 x 1990mm / 49.8 x 38.6 x 78.3in
HDSICM-1500	680kg/1500lbs/24h	350kg/775lbs	220kg/485lbs	2653W	1264 x 980 x 1928mm / 49.8 x 38.6 x 75.9in
HDSICM-2000	900kg/2000lbs/24h	350kg/775lbs	270kg/595lbs	3800W	1264 x 980 x 2054mm / 49.8 x 38.6 x 80.9in



AVAILABLE ICE SIZE:

13mm x 22mm x 22mm / 0.5in x 0.9in x 0.9in
 22mm x 22mm x 22mm / 0.9in x 0.9in x 0.9in
 28mm x 28mm x 22mm / 1.1in x 1.1in x 0.9in
 32mm x 32mm x 22mm / 1.3in x 1.3in x 0.9in
 38mm x 38mm x 22mm / 1.5in x 1.5in x 0.9in


STANDARD FEATURES

- Intuitive Diagnostics and Controls - For ease of maintenance, a built-in diagnostic system will identify problems that your ice machine may be having and will display the issue on the digital controller so it can be repaired accordingly.
 - This easy-to-use controller can also be used to monitor the current stage of ice production that your machine is in. It also allows you to adjust the thickness of the ice, so that you can produce ice to your exact requirements, and initiate the cleaning cycle (and displays what stage of the cycle you're in).
- Stainless Steel Construction - Constructed of durable type 304 stainless steel with a polyethylene interior, HDS ice machines are built to last in the busiest commercial environments. They are also non-corrosive, making them ideal for settings that are high in moisture and humidity.
- Included Ice Scoop & Blue LED Lights - Included with each unit is an ice scoop and a hook to hang it on, so it is always within convenient reach when you need it. Blue LED Lights illuminate the interior of the ice bin, providing a clear view of the ice. This makes it easier to monitor ice levels and scoop out the ice.
- Adjustable Legs - With (4) 6" adjustable legs, you can level your machine on uneven surfaces and have plenty of room to clean under it.
- Included Single-Stage Water Filter - Included with each HDS ice machine is a single-stage water filter that will filter contaminants, and ensure your unit produces high quality ice.
- Air Cooled, Self-Contained Condensor
- Refrigerant Options - All models available in R404A refrigerant setup. Select models available in R290 refrigerant setup.
- Electrical Setup Options - All models with ice production capacity equal to or below 500 lbs/24 hrs are available in 110-120/60/1 or 208-240/50 or 60/1.



HDSICVU-110 / HDSICVU-175 / HDSICVU-220

Notice: No more than 7.87inch for the drain



HDSICVU-110 / HDSICVU-175 / HDSICVU-220

MODEL	ICE PRODUCTION	ICE STORAGE	GROSS WEIGHT	POWER	DIMENSION
HDSICVU-110	50kg/110lbs/24h	30kg/66lbs	59kg/130lbs	477W	666 x 637 x 775mm / 26.2 x 25.1 x 30.5in
HDSICVU-175	80kg/176lbs/24h	30kg/66lbs	62kg/136lbs	563W	666 x 637 x 775mm / 26.2 x 25.1 x 30.5in
HDSICVU-220	100kg/220lbs/24h	30kg/66lbs	62kg/136lbs	574W	666 x 637 x 775mm / 26.2 x 25.1 x 30.5in

sales@heavydutysystems.com

Ice Production Data at 70°F (21°C) ambient temp. and 50°F (10°C) water temp.



Designed In USA.

PERFORMANCE. DURABILITY. VALUE.



HDSICD-350 / HDSICD-420



AVAILABLE ICE SIZE:


13mm x 22mm x 22mm / 0.5in x 0.9in x 0.9in
 22mm x 22mm x 22mm / 0.9in x 0.9in x 0.9in
 28mm x 28mm x 22mm / 1.1in x 1.1in x 0.9in
 32mm x 32mm x 22mm / 1.3in x 1.3in x 0.9in
 38mm x 38mm x 22mm / 1.5in x 1.5in x 0.9in



STANDARD FEATURES

- **Intuitive Diagnostics and Controls** - For ease of maintenance, a built-in diagnostic system will identify problems that your ice machine may be having and will display the issue on the digital controller so it can be repaired accordingly.
 - This easy-to-use controller can also be used to monitor the current stage of ice production that your machine is in. It also allows you to adjust the thickness of the ice, so that you can produce ice to your exact requirements, and initiate the cleaning cycle (and displays what stage of the cycle you're in).
- **Stainless Steel Construction** - Constructed of durable type 304 stainless steel with a polyethylene interior, HDS ice machines are built to last in the busiest commercial environments. They are also non-corrosive, making them ideal for settings that are high in moisture and humidity.
- **Included Ice Scoop & Blue LED Lights** - Included with each unit is an ice scoop and a hook to hang it on, so it is always within convenient reach when you need it. Blue LED Lights illuminate the interior of the ice bin, providing a clear view of the ice. This makes it easier to monitor ice levels and scoop out the ice.
- **Adjustable Legs** - With (4) 6" adjustable legs, you can level your machine on uneven surfaces and have plenty of room to clean under it.
- **Side-Breathing with Rear Exhaust** - The HDS ice machines are designed for side-breathing and rear exhaust, so you can avoid hot air being blown outward into your kitchen or service area.
- **Included Single-Stage Water Filter** - Included with each HDS ice machine is a single-stage water filter that will filter contaminants, and ensure your unit produces high quality ice.
- **Air Cooled, Self-Contained Condensor**
- **Refrigerant Options** - All models available in R404A refrigerant setup. Select models available in R290 refrigerant setup.
- **Electrical Setup Options** - All models with ice production capacity equal to or below 500 lbs/24 hrs are available in 110-120/60/1 or 208-240/50 or 60/1.

Notice: No more than 7.87inch for the drain



HDSICD-350 / HDSICD-420

MODEL	ICE PRODUCTION	ICE STORAGE	OUTPUT SPEED	GROSS WEIGHT	POWER	DIMENSION
HDSICD-350	160kg/350lbs/24h	50kg/110lbs	5kg/11lbs/min	137kg/301lbs	1000W	560 x 855 x 1920mm / 22 x 33.7 x 75.6in
HDSICD-420	190kg/420lbs/24h	50kg/110lbs	5kg/11lbs/min	144kg/317lbs	1129W	560 x 855 x 1920mm / 22 x 33.7 x 75.6in

sales@heavydutysystems.com

Ice Production Data at 70°F (21°C) ambient temp. and 50°F (10°C) water temp.



Designed In USA.

PERFORMANCE. DURABILITY. VALUE.



HDSIBV-55 / HDSIBV-77

**AVAILABLE ICE SIZE:**

Φ28x39 mm(Diameter 28mm) 15g







Φ1.10"x1.54"(Diameter1.10")

**STANDARD FEATURES**

- **Intuitive Diagnostics and Controls** - For ease of maintenance, a built-in diagnostic system will identify problems that your ice machine may be having and will display the issue on the digital controller so it can be repaired accordingly.
 - This easy-to-use controller can also be used to monitor the current stage of ice production that your machine is in. It also allows you to adjust the thickness of the ice, so that you can produce ice to your exact requirements, and initiate the cleaning cycle (and displays what stage of the cycle you're in).
- **Stainless Steel Construction** - Constructed of durable type 304 stainless steel with a polyethylene interior, HDS ice machines are built to last in the busiest commercial environments. They are also non-corrosive, making them ideal for settings that are high in moisture and humidity.
- **Included Ice Scoop & Blue LED Lights** - Included with each unit is an ice scoop and a hook to hang it on, so it is always within convenient reach when you need it. Blue LED Lights illuminate the interior of the ice bin, providing a clear view of the ice. This makes it easier to monitor ice levels and scoop out the ice.
- **Adjustable Legs** - With (4) 6" adjustable legs, you can level your machine on uneven surfaces and have plenty of room to clean under it.
- **Side-Breathing with Rear Exhaust** - The HDS ice machines are designed for side-breathing and rear exhaust, so you can avoid hot air being blown outward into your kitchen or service area.
- **Included Single-Stage Water Filter** - Included with each HDS ice machine is a single-stage water filter that will filter contaminants, and ensure your unit produces high quality ice.
- **Air Cooled, Self-Contained Condensor**
- **Refrigerant Options** - All models available in R404A refrigerant setup. Select models available in R290 refrigerant setup.
- **Electrical Setup Options** - All models with ice production capacity equal to or below 500 lbs/24 hrs are available in 110-120/60/1 or 208-240/50 or 60/1.



HDSIBVU-120 / HDSIBVU-165

**HDSIBV-55 / HDSIBV-77****HDSIBVU-120 / HDSIBVU-165**

MODEL	ICE PRODUCTION	ICE STORAGE	GROSS WEIGHT	POWER	DIMENSION
HDSIBV-55	25kg/55lbs/24h	15kg/33lbs	39kg/59lbs	270W	375 x 575 x 762mm / 14.8 x 22.6 x 30.0in
HDSIBV-77	35kg/77lbs/24h	15kg/33lbs	39kg/59lbs	460W	375 x 575 x 762mm / 14.8 x 22.6 x 30.0in
HDSIBVU-120	55kg/120lbs/24h	30kg/66lbs	64kg/141lbs	592W	666 x 637 x 775mm / 26.2 x 25.1 x 30.5in
HDSIBVU-165	75kg/165lbs/24h	30kg/66lbs	64kg/141lbs	664W	666 x 637 x 775mm / 26.2 x 25.1 x 30.5in



**HDSIGV-130 / HDSIGV-200 / HDSIGV-256**

GRANULAR ICE




STANDARD FEATURES




- **Intuitive Diagnostics and Controls** - For ease of maintenance, a built-in diagnostic system will identify problems that your ice machine may be having and will display the issue on the digital controller so it can be repaired accordingly.
- **Stainless Steel Construction** - Constructed of durable type 304 stainless steel with a polyethylene interior, HDS ice machines are built to last in the busiest commercial environments. They are also non-corrosive, making them ideal for settings that are high in moisture and humidity.
- **Included Ice Scoop & Blue LED Lights** - Included with each unit is an ice scoop and a hook to hang it on, so it is always within convenient reach when you need it. Blue LED Lights illuminate the interior of the ice bin, providing a clear view of the ice. This makes it easier to monitor ice levels and scoop out the ice.
- **Adjustable Legs** - With (4) 6" adjustable legs, you can level your machine on uneven surfaces and have plenty of room to clean under it.
- **Side-Breathing with Rear Exhaust** - The HDS ice machines are designed for side-breathing and rear exhaust, so you can avoid hot air being blown outward into your kitchen or service area.
- **Included Single-Stage Water Filter** - Included with each HDS ice machine is a single-stage water filter that will filter contaminants, and ensure your unit produces high quality ice.
- **Air Cooled, Self-Contained Condensor**
- **Refrigerant Options** - All models available in R404A refrigerant setup. Select models available in R290 refrigerant setup.
- **Electrical Setup Options** - All models with ice production capacity equal to or below 500 lbs/24 hrs are available in 110-120/60/1 or 208-240/50 or 60/1.



Notice: No more than 7.87inch for the drain



HDSIGV-130 / HDSIGV-200



HDSIGV-256

MODEL	ICE PRODUCTION	ICE STORAGE	GROSS WEIGHT	POWER	DIMENSION
HDSIGV-130	60kg/132lbs/24h	20kg/44lbs	54kg/119lbs	400W	520 x 540 x 955mm / 20.5 x 21.3 x 37.6in
HDSIGV-200	90kg/198lbs/24h	20kg/44lbs	55kg/121lbs	495W	520 x 540 x 955mm / 20.5 x 21.3 x 37.6in
HDSIGV-265	120kg/264lbs/24h	50kg/110lbs	79kg/174lbs	545W	650 x 640 x 1050mm / 25.6 x 25.2 x 41.3in



HDSIGM-550 / HDSIGM-770 / HDSIGM-1000




GRANULAR ICE



STANDARD FEATURES

- **Intuitive Diagnostics and Controls** - For ease of maintenance, a built-in diagnostic system will identify problems that your ice machine may be having and will display the issue on the digital controller so it can be repaired accordingly.
- **Stainless Steel Construction** - Constructed of durable type 304 stainless steel with a polyethylene interior, HDS ice machines are built to last in the busiest commercial environments. They are also non-corrosive, making them ideal for settings that are high in moisture and humidity.
- **Included Ice Scoop & Blue LED Lights** - Included with each unit is an ice scoop and a hook to hang it on, so it is always within convenient reach when you need it. Blue LED Lights illuminate the interior of the ice bin, providing a clear view of the ice. This makes it easier to monitor ice levels and scoop out the ice.
- **Adjustable Legs** - With (4) 6" adjustable legs, you can level your machine on uneven surfaces and have plenty of room to clean under it.
- **Side-Breathing with Rear Exhaust** - The HDS ice machines are designed for side-breathing and rear exhaust, so you can avoid hot air being blown outward into your kitchen or service area.
- **Included Single-Stage Water Filter** - Included with each HDS ice machine is a single-stage water filter that will filter contaminants, and ensure your unit produces high quality ice.
- **Air Cooled, Self-Contained Condensor**
- **Refrigerant Options** - All models available in R404A refrigerant setup. Select models available in R290 refrigerant setup.
- **Electrical Setup Options** - All models above with ice production capacity above 500 lbs/24 hrs are available only in 208-240/50 or 60/1. Three-phase electrical setup may be available upon request.

Notice: No more than 7.87inch for the drain



HDSIGM-1000

MODEL	ICE PRODUCTION	ICE STORAGE	GROSS WEIGHT	POWER	DIMENSION
HDSIGM-550	250kg/550lbs/24h	125kg/275lbs	129kg/284lbs	1060W	560 x 830 x 1760mm / 22 x 32.7 x 69.3in
HDSIGM-770	350kg/770lbs/24h	125kg/275lbs	152kg/335lbs	1137W	560 x 830 x 1810mm / 22 x 32.7 x 71.3in
HDSIGM-1000	450kg/990lbs/24h	125kg/275lbs	156kg/344lbs	1696W	560 x 830 x 1860mm / 22 x 32.7 x 73.3in



HDSIFM-660 / HDSIFM-1100 / HDSIFM-1750



HDSIFM-2200 / HDSIFM-2650 / HDSIFM-3300




FLAKE ICE




STANDARD FEATURES

- **Intuitive Diagnostics and Controls** - For ease of maintenance, a built-in diagnostic system will identify problems that your ice machine may be having and will display the issue on the digital controller so it can be repaired accordingly.
- **Stainless Steel Construction** - Constructed of durable type 304 stainless steel with a polyethylene interior, HDS ice machines are built to last in the busiest commercial environments. They are also non-corrosive, making them ideal for settings that are high in moisture and humidity.
- **Included Ice Scoop & Blue LED Lights** - Included with each unit is an ice scoop and a hook to hang it on, so it is always within convenient reach when you need it. Blue LED Lights illuminate the interior of the ice bin, providing a clear view of the ice. This makes it easier to monitor ice levels and scoop out the ice.
- **Adjustable Legs** - With (4) 6" adjustable legs, you can level your machine on uneven surfaces and have plenty of room to clean under it.
- **Side-Breathing with Rear Exhaust** - The HDS ice machines are designed for side-breathing and rear exhaust, so you can avoid hot air being blown outward into your kitchen or service area.
- **Included Single-Stage Water Filter** - Included with each HDS ice machine is a single-stage water filter that will filter contaminants, and ensure your unit produces high quality ice.
- **Air Cooled, Self-Contained Condensor**
- **Refrigerant Options** - All models available in R404A refrigerant setup. Select models available in R290 refrigerant setup.
- **Electrical Setup Options** - All models above with ice production capacity above 500 lbs/24 hrs are available only in 208-240/50 or 60/1. Three-phase electrical setup may be available upon request.


Notice: No more than 7.87inch for the drain



HDSIFM-660



HDSIFM-1100 / HDSIFM-1750



HDSIFM-2200 / HDSIFM-2650 / HDSIFM-3300

MODEL	ICE PRODUCTION	ICE STORAGE	GROSS WEIGHT	POWER	DIMENSION
HDSIFM-660	300kg/660lbs/24h	170kg/375lbs	210kg/463lbs	1414W	764 x 829 x 1795mm / 30.1 x 32.6 x 70.7in
HDSIFM-1100	500kg/1100lbs/24h	170kg/375lbs	283kg/624lbs	1935W	764 x 829 x 1950mm / 30.1 x 32.6 x 76.8in
HDSIFM-1750	800kg/1760lbs/24h	170kg/375lbs	283kg/624lbs	2753W	764 x 829 x 1950mm / 30.1 x 32.6 x 76.8in
HDSIFM-2200	1000kg/2200lbs/24h	350kg/775lbs	380kg/838lbs	4690W	1225 x 945 x 2160mm / 48.2 x 37.2x85in
HDSIFM-2650	1200kg/2645lbs/24h	350kg/775lbs	380kg/838lbs	4690W	1225 x 945 x 2160mm / 48.2 x 37.2 x 85in
HDSIFM-3300	1500kg/3300lbs/24h	350kg/775lbs	380kg/838lbs	5280W	1225 x 945 x 2160mm / 48.2 x 37.2 x 85in



HDSICSM-320 / HDSICSM-620




HDSICSM-930 / HDSICSM-1230



CRESCENT ICE

STANDARD FEATURES

- **Intuitive Diagnostics and Controls** - For ease of maintenance, a built-in diagnostic system will identify problems that your ice machine may be having and will display the issue on the digital controller so it can be repaired accordingly.
 - This easy-to-use controller can also be used to monitor the current stage of ice production that your machine is in. It also allows you to adjust the thickness of the ice, so that you can produce ice to your exact requirements, and initiate the cleaning cycle (and displays what stage of the cycle you're in).
- **Stainless Steel Construction** - Constructed of durable type 304 stainless steel with a polyethylene interior, HDS ice machines are built to last in the busiest commercial environments. They are also non-corrosive, making them ideal for settings that are high in moisture and humidity.
- **Included Ice Scoop & Blue LED Lights** - Included with each unit is an ice scoop and a hook to hang it on, so it is always within convenient reach when you need it. Blue LED Lights illuminate the interior of the ice bin, providing a clear view of the ice. This makes it easier to monitor ice levels and scoop out the ice.
- **Adjustable Legs** - With (4) 6" adjustable legs, you can level your machine on uneven surfaces and have plenty of room to clean under it.
- **Side-Breathing with Rear Exhaust** - The HDS ice machines are designed for side-breathing and rear exhaust, so you can avoid hot air being blown outward into your kitchen or service area.
- **Included Single-Stage Water Filter** - Included with each HDS ice machine is a single-stage water filter that will filter contaminants, and ensure your unit produces high quality ice.
- **Air Cooled, Self-Contained Condensor**
- **Refrigerant Options** - All models available in R404A refrigerant setup. Select models available in R290 refrigerant setup.
- **Electrical Setup Options** - All models above with ice production capacity above 500 lbs/24 hrs are available only in 208-240/50 or 60/1. Three-phase electrical setup may be available upon request.




Power input

Water Inlet


Drain

Water Filter


Notice: No more than 7.87inch for the drain



Drain for ice bin



HDSICSM-320 / HDSICSM-620




Power input

Water Inlet

Drain

Water Filter

Drain for ice bin




HDSICSM-930 / HDSICSM-1230

MODEL	ICE PRODUCTION	ICE STORAGE	GROSS WEIGHT	POWER	DIMENSION
HDSICSM-320	145kg/320lbs/24h	125kg/275lbs	118kg/260lbs	717W	562 x 830 x 1897mm / 22.1 x 32.7 x 74.7in
HDSICSM-620	280kg/620lbs/24h	125kg/275lbs	131kg/289lbs	1314W	562 x 830 x 1897mm / 22.1 x 32.7 x 74.7in
HDSICSM-930	425kg/937lbs/24h	350kg/775lbs	269kg/593lbs	2031W	1225 x 919 x 2041mm / 48.2 x 36.2 x 80.4in
HDSICSM-1230	560kg/1235lbs/24h	350kg/775lbs	282kg/622lbs	2628W	1225 x 919 x 2041mm / 48.2 x 36.2 x 80.4in

**HDSICWM-550****CHEWBLET****STANDARD FEATURES**


- **Intuitive Diagnostics and Controls** - For ease of maintenance, a built-in diagnostic system will identify problems that your ice machine may be having and will display the issue on the digital controller so it can be repaired accordingly.
- **Stainless Steel Construction** - Constructed of durable type 304 stainless steel with a polyethylene interior, HDS ice machines are built to last in the busiest commercial environments. They are also non-corrosive, making them ideal for settings that are high in moisture and humidity.
- **Included Ice Scoop & Blue LED Lights** - Included with each unit is an ice scoop and a hook to hang it on, so it is always within convenient reach when you need it. Blue LED Lights illuminate the interior of the ice bin, providing a clear view of the ice. This makes it easier to monitor ice levels and scoop out the ice.
- **Adjustable Legs** - With (4) 6" adjustable legs, you can level your machine on uneven surfaces and have plenty of room to clean under it.
- **Side-Breathing with Rear Exhaust** - The HDS ice machines are designed for side-breathing and rear exhaust, so you can avoid hot air being blown outward into your kitchen or service area.
- **Included Single-Stage Water Filter** - Included with each HDS ice machine is a single-stage water filter that will filter contaminants, and ensure your unit produces high quality ice.
- **Air Cooled, Self-Contained Condensor**
- **Refrigerant Options** - All models available in R404A refrigerant setup. Select models available in R290 refrigerant setup.
- **Electrical Setup Options** - All models above with ice production capacity above 500 lbs/24 hrs are available only in 208-240/50 or 60/1. Three-phase electrical setup may be available upon request.

**HDSICWM-1100**



Notice: No more than 7.87inch for the drain

HDSICWM-550



HDSICWM-1100

MODEL	ICE PRODUCTION	ICE STORAGE	GROSS WEIGHT	POWER	DIMENSION
HDSICWM-550	250kg/551lbs/24h	125kg/275lbs	130kg/287lbs	1160W	560 x 830 x 1760mm / 22 x 32.7 x 69.3in
HDSICWM-1100	500kg/1100lbs/24h	350kg/775lbs	290kg/639lbs	2320W	1224 x 947 x 1904mm / 48.2 x 37.3 x 75in



PERFORMANCE. DURABILITY. VALUE.

sales@heavydutysystems.com

www.heavydutysystems.com